FIG. 1




FIG. 2




FIG. 3

PARAMETER 1 • HANNEL ID =1 • IN CODE=1234 • IN CODE=1234	5
00601D038703 CHANNEL ID =1	P S
PIN CODE=1234	III I
• •	
• •	
•	

FIG. 4

CRYPTOGRAPH KEY	3D068C4A50
IDENTIFIER	EP00002

FIG. 5

_				
	MAC ADDRESS	00601D038702	00601D038705	
183	PROTOCOL	BLUET00TH	IEEE802.11B	
	CRYPTOGRAPH KEY	07003A8B4A	TOP50FB2WG	               
	ACCESS RIGHT	READ ONLY	FULL ACCESS	
	IDENTIFIER	EP00001	EP00003	

FIG. 6





FIG. 7






FIG. 9

251

MASTER/SLAVE

OWN IDENTIFIER

O585CA2C

PARTNER IDENTIFIER

BC5E7DCO

PASSWORD

AZ23¥#C7

COMMON KEY

V1H4E5JQXHP3EM6FEAK#VCUN

SETTING COMPLETION NOTICE FLAG

OFF

FIG. 10

# FIG. 1.

			-	•	•	• • •
253 >	SET			IP ADDRESS / SUBNET MASK 192. 168. 0. 220/ 255. 255. 255. 0		• • • 1
	PARAMETER SET	PARAMETER 2	EEE802, 11B   CHANNEL   D=7	EEE802. 11B   CHANNEL   D=3		
	PARAMETER 1		EEE802. 11B   MODE == AD HOC	IEEE802.11B MODE == INFRASTRUCTURE	BLUETOOTH PIN CODE = 2851	• • •
	PROTOCOL SET		EEE802. 11B - NET BEUI	1EEE802. 11B - TCP/1P	BLUETOOTH - NET BEUI	
	PRIORITY MAC ADDRESS		E8B0324FC8E5	5B98007E03E2	F0A6998BF3CB	• • •
		PRIORITY	-	2	33	• • •

FIG. 12 254

$\mid$	PROTOCOL SET
58DF46499F0C   IEEE80	IEEE802.11B - TCP/IP
58DF46499F0C   IEEE802	IEEE802. 11B - IPX/SPX
C59166816E84 HOME	HOME RF - NET BEUI
•	•
• •	• •


FIG. 13

	•	•
SET	PARAMETER 1 PARAMETER 2 PARAMETER 3	IP ADDRESS / SUBNET MASK 192. 168. 0. 221/ 255. 255. 255. 0
PARAMETER SET	PARAMETER 2	EEE802, 11B   CHANNEL   D=5
	PARAMETER 1	9F0C   LEE802. 11B   LEE802. 11B   - TCP/IP   MODE = AD HOC
PROTOCOL	SET	EEE802, 11B 
DARTNER MAC	ADDRESS	58DF46499F0C
	ADDRESS	5B98007E03E2 58DF46499F

FIG. 14

#### COMMUNICATION TERMINAL C CONNECTING CABLE COMMUNICATION UNITS S201 DIRECTLY MASTER/SLAVE=0 SETTING COMPLETION S202 NOTICE FLAG = OFF **S203** SENDING AN OWN OWN IDENTIFIER IDENTIFIER S204 (IDENTIFIER RECEIVING A PARTNER PARTNER IDENTIFIER REGISTRATION IDENTIFIER OPERATION) S205 HAS THE PARTNER NO IDENTIFIER BEEN REGISTERED? REQUESTING A S206 YES PASSWORD INPUT (PASSWORD COLLATION INPUTTING A S207 OPERATION) **PASSWORD** S208 DO PASSWORDS NO MATCH? YES REGISTERING THE S209 PARTNER IDENTIFIER

FIG. 15






FIG. 17

#### COMMUNICATION TERMINAL S AND M





FIG. 18 7 COMMUNICATION TERMINAL G - 6 5 COMMUNICATION TERMINAL F COMMUNICATION TERMINAL E 8 COMMUNICATION TERMINAL H 7 COMMUNICATION TERMINAL G - 6 5 COMMUNICATION TERMINAL F COMMUNICATION TERMINAL E 8 COMMUNICATION TERMINAL H

16/38



OWN IDENTIFIER	19ABB17A
PASSWORD	7BA1K8B#
PRIVATE KEY	LAW#Q&S26F9RY3Q%S00%TLEU
PUBLIC KEY	GC3RXWZJRF946S29P25C2\$MP

		•	•	•	•	 
323 \	er set	PARAMETER 3		IP ADDRESS / SUBNET MASK 192.168.0.60/ 255.255.255.0		• • •
	PARAMETER SET	PARAMETER 2	IEEE802.11B   CHANNEL   ID=5	EEE802. 11B	-	• • •
		PARAMETER 1	EEE802.11B	1EEE802.11B MODE == AD HOC	BLUETOOTH PIN CODE= 7218	• • •
	PROTOGOL	SET	1EEE802. 11B - NET BEUI	EEE802. 11B  - TCP/ IP	BLUETOOTH - NET BEUI	• • •
		MAC ADDRESS	A05CBE6ADEE5	A05CBE6ADEE5	BB2214AA3C1A	• • •

FIG. 22


		•	•	•	• • •
325	SET	PARAMETER 3	IP ADDRESS / SUBNET MASK 192. 168. 0. 222/ 255. 255. 255. 0		• • •
	PARAMETER SET	PARAMETER 2	1EEE802. 11B CHANNEL 1D=3		• • •
		PARAMETER 1	EEE802, 11B	BLUETOOTH PIN CODE = 4E63	• • •
	PROTOCOL	SET		BLUETOOTH - NET BEUI	• • •
	DARTNER MAC	ADDRESS	SFFD147EFFFF	ABF82A04D002	• • •
		ADDRESS	A05CBE6ADEE5	BB2214AA3C1A ABF82A04D002	• •

326

MAC ADDRESS	IDENTIFIER
B7614A795845	34FA9FF7
5FFD147EFFFF	32CCA022
ABF82A04D002	32CCA022
48D6A6626071	942D7BE6
•	•
•	•
•	•

## FIG. 24


IDENTIFIER	PUBLIC KEY
0243B88E	TJFSJWRZ#E5EYEGA\$27DB#%8
32CCA022	U#Y#09V\$3JQEA%IVVZ5YAOM5
3869B1F4	OC#&M6LBS%Z7V#HIP3ZTHA&1
1	
•	•
1 1 1	•



OWN IDENTIFIER 3869B1F4

PRIVATE KEY ZW1Y3U3G&UK5ONLNLS1MNLK\$

PUBLIC KEY OC#&M6LBS%Z7V#H1P3ZTHA&1










FIG. 29









( ) <u>|</u>

FIG. 33





FIG. 34



451 }

OWN IDENTIFIER	D24F7B85
PASSWORD	&RTQK\$Q1
PRIVATE KEY	\$8J#FSBNF#YOTM803QML\$36S
PUBLIC KEY	10TIZ9#0VJ5MCIQGQB1J3Z9B
COMMON KEY	#08DVQ763&QKYDA52XHUA022




FIG. 37

511

PARTNER IDENTIFIER	D24F7B85
PARTNER PUBLIC KEY	10TIZ9#0VJ5MCIQGQB1J3Z9B

FIG. 38

512

IDENTIFIER	ACCOUNT GROUP
8B78BF6A	SAME BRANCH SAME SECTION
D24F7B85	DIFFERENT BRANCH
0C485394	SAME BRANCH DIFFERENT SECTION
1	•
•	•
 	• 1 1
	J

FIG. 39

IDENTIFIER	COMMON KEY
46EB8684	2%7607KIMV8L3CW9#UME5Q06
CEAF30D5	\$471T69XRKUD69EXHL%M5NTB
D24F7B85	#08DVQ763&QKYDA52XHUA022
•	•
1 1 •	•
] • !	•

FIG. 40





FIG. 41

	5/1
OWN IDENTIFIER	46EB8684
COMMON KEY	2%7607KIMV8L3CW9#UME5Q06

FIG. 42








FIG. 44





These for the Paris and the same that the same the same that the same th

